





# EXPERT ENGINEERING

Brought to you by world leaders in vending solutions, COTI brings together the machine engineering expertise of Crane Merchandising Systems and the connectivity innovation of CPI to deliver you with a more reliable, future-ready investment.

Patented brewing and cup drop technology ensure reliable drink delivery to lower overall service needs

**Commonality with legacy machines** provides ease of servicing and training

**Available with integrated cashless payment** and connectivity, plus enabled for OTA updates to participate in digital advertising campaigns for even more revenue

**Backed by CPI support**, including access to 160 authorized service centers

## VARIANTS AND TECHNICAL SPECIFICATIONS

Part Number: PR16955

#### FEATURES

FEATURES	
User Interface	Touch screen
Screen Size	21.5" portrait HD color display
Screen Dimensions	10.5" x 18.7"/266mm x 475mm portrait
Screen Resolution	1920 x 1080 pixels
Screen Performance	24 bit full colour TFT display
Video Supported	Yes
Brewing System Coffee	Crane Oltre brewer (Coffee & Espresso) Capacity - up to 20 grams
Mixing System	Crane mixing system
Cup Drop Unit	Crane cup drop unit Paper, single, dual walled cups
Cup Capacity	up to 800
Cup Diameter	70mm, 73mm, 80mm, 90mm
Cup Size	7, 8, 9, 12, 16 oz
USB Connectivity	3 x USB 2.0
Model Type	Coffee: soluble, freshbrew and beans
EVA/DTS communication module	via DEX port
LED Lit Vend Area	Yes
Jug Facility	Yes: By keypad PIN entry
Cup Sensor	SureVend™ cup sensors Fitted as standard on all models
Energy-Saving mode	Programmable energy saving mode
My Code	Yes
Free Vend	Yes
Payment Systems	up to 3
Vend Time (bean to brew)	56 seconds (based on a 12 oz cup)
Vend Time (fresh brew)	41 seconds (based on a 12 oz cup)
Vend Time (soluble coffee)	16 seconds (based on a 12 oz cup)
Waste Bucket Capacity - dry	6.35 gallons
Waste Bucket Capacity - liquid	2.38 gallons
Electronic Temperature Control	Included as standard
Electronic Water Level Control	Included as standard

#### SPECIFICATIONS

Height	72"
Depth	31.1"
Width	27.5"
Weight	426 lbs
Door Open Dimensions	Width 54" door at 180° Depth 57.5" door at 90°
MBD Protocol	Included as standard
Power Supply Voltage	115V
Power Supply Frequency	60 Hz
Water Main Pressure	200 Kpa (29 PSI) – 600 Kpa (87 PSI)
Filtration	Compatible with the leading systems

#### INGREDIENT CAPACITIES

7.7 lbs
3.3 lbs
2.2 lbs
7.5 lbs
5.5 lbs
6 lbs
6 lbs

### CANNISTER LAYOUTS



610

Bean to Brew

Sugar	Whitener	Instant Coffee	Decaf Coffee	French Vanilla	Hot Drink 1	Cappuccino Milk	Chocolate
とうする		の見る				を言う二	




SONOOOS
---------



	Sugar	Whitener	Cappuccino Milk	Chocolate	French Varilla	Hot Drink 1	Decaf Coffee	& Ground Coffee 1
--	-------	----------	-----------------	-----------	----------------	-------------	--------------	-------------------





Hot Water
<ul> <li>Decaf selection available</li> </ul>
<ul> <li>Only 1 flavored coffee option available</li> </ul>

609

Instant

Decaf

DRINKS MENU

Caffee
Cappuccino
Café Mocha
Café Latte
Americano

Café Hazelnut Café Caramel

Café Vanilla
Café Vanilla Mocha
Mochaccino
Single Shot
Coffee

Gourmet Coffee Cappuccino Café Mocha Americano Single Shot Café Hazelnut Café Caramel Café Vanilla Café Vanilla Mocha Mochaccino Café Latte Coffee Espresso Double Shot Americano Cappuccino

Café Mocha
Café Latte
Café French Vanilla
Café Vanilla Mocha
French Vanilla
Hot Chocolate
Creamy Hot Chocolate

Hazelnut
Caramel
Café Hazelnut
Café Caramel
Chocovanilla
Café Vanilla

609

Instant

608

Freshbrew

Coffee